

Ring Size Conversion (Pg. 1 of 3)

| Internal Diameter (mm) | Internal Circumference (mm) DE (old) | Internal Diameter (inches) | Internal Circumference (inches) | USA, CAN | UK | IT, ESP, ND, CH | JP |
|------------------------|--------------------------------------|----------------------------|---------------------------------|----------|----|-----------------|------|
| 14.78 | 46.44 | 0.582 | 1.828 | 4 | | | |
| 14.80 | 46.50 | 0.583 | 1.831 | | | 6.5 | |
| 14.82 | 46.56 | 0.584 | 1.833 | | H | | |
| 14.96 | 47.00 | 0.589 | 1.850 | | | 7 | |
| 15.00 | 47.12 | 0.590 | 1.855 | | | | 7 |
| 15.12 | 47.50 | 0.595 | 1.870 | | | 7.5 | |
| 15.16 | 47.64 | 0.597 | 1.876 | | | | 7.5 |
| 15.19 | 47.72 | 0.598 | 1.879 | 4.5 | | | |
| 15.21 | 47.80 | 0.599 | 1.882 | | I | | |
| 15.28 | 48.00 | 0.602 | 1.890 | | | 8 | |
| 15.33 | 48.16 | 0.604 | 1.896 | | | | 8 |
| 15.44 | 48.50 | 0.608 | 1.909 | | | 8.5 | |
| 15.50 | 48.69 | 0.610 | 1.917 | | | | 8.5 |
| 15.60 | 48.99 | 0.614 | 1.929 | 5 | | | |
| 15.60 | 49.00 | 0.614 | 1.929 | | | 9 | |
| 15.61 | 49.04 | 0.615 | 1.931 | | J | | |
| 15.66 | 49.21 | 0.617 | 1.937 | | | | 9 |
| 15.76 | 49.50 | 0.620 | 1.949 | | | 9.5 | |
| 15.83 | 49.73 | 0.623 | 1.958 | | | | 9.5 |
| 15.92 | 50.00 | 0.627 | 1.969 | | | 10 | |
| 16.00 | 50.26 | 0.630 | 1.979 | | | | 10 |
| 16.00 | 50.27 | 0.630 | 1.979 | 5.5 | | | |
| 16.00 | 50.27 | 0.630 | 1.979 | | K | | |
| 16.07 | 50.50 | 0.633 | 1.988 | | | 10.5 | |
| 16.16 | 50.78 | 0.636 | 1.999 | | | | 10.5 |
| 16.23 | 51.00 | 0.639 | 2.008 | | | 11 | |
| 16.33 | 51.30 | 0.643 | 2.020 | | | | 11 |
| 16.39 | 51.50 | 0.645 | 2.028 | | | 11.5 | |
| 16.40 | 51.51 | 0.646 | 2.028 | | L | | |
| 16.41 | 51.55 | 0.646 | 2.029 | 6 | | | |
| 16.50 | 51.83 | 0.649 | 2.040 | | | | 11.5 |
| 16.55 | 52.00 | 0.652 | 2.047 | | | 12 | |
| 16.66 | 52.35 | 0.656 | 2.061 | | | | 12 |
| 16.71 | 52.50 | 0.658 | 2.067 | | | 12.5 | |
| 16.79 | 52.75 | 0.661 | 2.077 | | M | | |
| 16.81 | 52.82 | 0.662 | 2.080 | 6.5 | | | |



Ring Size Conversion (Pg. 2 of 3)

| Internal Diameter (mm) | Internal Circumference (mm) DE (old) | Internal Diameter (inches) | Internal Circumference (inches) | USA, CND | UK | IT, ESP, ND, SW | JP |
|------------------------|--------------------------------------|----------------------------|---------------------------------|----------|----|-----------------|------|
| 16.83 | 52.87 | 0.663 | 2.082 | | | | 12.5 |
| 16.87 | 53.00 | 0.664 | 2.087 | | | 13 | |
| 17.00 | 53.39 | 0.669 | 2.102 | | | | 13 |
| 17.03 | 53.50 | 0.670 | 2.106 | | | 13.5 | |
| 17.16 | 53.92 | 0.676 | 2.123 | | | | 13.5 |
| 17.18 | 53.98 | 0.677 | 2.125 | | N | | |
| 17.19 | 54.00 | 0.677 | 2.126 | | | 14 | |
| 17.22 | 54.10 | 0.678 | 2.130 | 7 | | | |
| 17.33 | 54.44 | 0.682 | 2.143 | | | | 14 |
| 17.35 | 54.50 | 0.683 | 2.146 | | | 14.5 | |
| 17.50 | 54.96 | 0.689 | 2.164 | | | | 14.5 |
| 17.51 | 55.00 | 0.689 | 2.165 | | | 15 | |
| 17.58 | 55.22 | 0.692 | 2.174 | | O | | |
| 17.63 | 55.38 | 0.694 | 2.180 | 7.5 | | | |
| 17.66 | 55.49 | 0.695 | 2.185 | | | | 15 |
| 17.67 | 55.50 | 0.696 | 2.185 | | | 15.5 | |
| 17.83 | 56.00 | 0.702 | 2.205 | | | 16 | |
| 17.83 | 56.01 | 0.702 | 2.205 | | | | 15.5 |
| 17.97 | 56.46 | 0.708 | 2.223 | | P | | |
| 17.98 | 56.50 | 0.708 | 2.224 | | | 16.5 | |
| 18.00 | 56.53 | 0.708 | 2.226 | | | | 16 |
| 18.03 | 56.65 | 0.710 | 2.231 | 8 | | | |
| 18.14 | 57.00 | 0.714 | 2.244 | | | 17 | |
| 18.16 | 57.06 | 0.715 | 2.246 | | | | 16.5 |
| 18.30 | 57.50 | 0.721 | 2.264 | | | 17.5 | |
| 18.33 | 57.58 | 0.722 | 2.267 | | | | 17 |
| 18.36 | 57.69 | 0.723 | 2.271 | | Q | | |
| 18.44 | 57.93 | 0.726 | 2.281 | 8.5 | | | |
| 18.46 | 58.00 | 0.727 | 2.284 | | | 18 | |
| 18.49 | 58.10 | 0.728 | 2.288 | | | | 17.5 |
| 18.62 | 58.50 | 0.733 | 2.303 | | | 18.5 | |
| 18.66 | 58.63 | 0.735 | 2.308 | | | | 18 |
| 18.76 | 58.93 | 0.739 | 2.320 | | R | | |
| 18.78 | 59.00 | 0.739 | 2.323 | | | 19 | |
| 18.83 | 59.15 | 0.741 | 2.329 | | | | 18.5 |
| 18.85 | 59.21 | 0.742 | 2.331 | 9 | | | |



Ring Size Conversion (Pg. 3 of 3)

| Internal Diameter (mm) | Internal Circumference (mm) DE (old) | Internal Diameter (inches) | Internal Circumference (inches) | USA, CND | UK | IT, ESP, ND, SW | JP |
|------------------------|--------------------------------------|----------------------------|---------------------------------|----------|----|-----------------|------|
| 18.94 | 59.50 | 0.746 | 2.343 | | | 19.5 | |
| 18.99 | 59.67 | 0.748 | 2.349 | | | | 19 |
| 19.10 | 60.00 | 0.752 | 2.362 | | | 20 | |
| 19.15 | 60.17 | 0.754 | 2.369 | | S | | |
| 19.16 | 60.19 | 0.754 | 2.370 | | | | 19.5 |
| 19.25 | 60.48 | 0.758 | 2.381 | 9.5 | | | |
| 19.26 | 60.50 | 0.758 | 2.382 | | | 20.5 | |
| 19.33 | 60.72 | 0.761 | 2.391 | | | | 20 |
| 19.42 | 61.00 | 0.764 | 2.402 | | | 21 | |
| 19.49 | 61.24 | 0.767 | 2.411 | | | | 20.5 |
| 19.55 | 61.40 | 0.770 | 2.418 | | T | | |
| 19.58 | 61.50 | 0.771 | 2.421 | | | 21.5 | |
| 19.66 | 61.76 | 0.774 | 2.432 | 10 | | | |
| 19.66 | 61.76 | 0.774 | 2.432 | | | | 21 |
| 19.74 | 62.00 | 0.777 | 2.441 | | | 22 | |
| 19.83 | 62.29 | 0.781 | 2.452 | | | | 21.5 |
| 19.89 | 62.50 | 0.783 | 2.461 | | | 22.5 | |
| 19.94 | 62.64 | 0.785 | 2.466 | | U | | |
| 19.99 | 62.81 | 0.787 | 2.473 | | | | 22 |
| 20.05 | 63.00 | 0.790 | 2.480 | | | 23 | |
| 20.07 | 63.04 | 0.790 | 2.482 | 10.5 | | | |
| 20.16 | 63.33 | 0.794 | 2.493 | | | | 22.5 |
| 20.21 | 63.50 | 0.796 | 2.500 | | | 23.5 | |
| 20.33 | 63.86 | 0.800 | 2.514 | | | | 23 |
| 20.33 | 63.88 | 0.801 | 2.515 | | V | | |
| 20.37 | 64.00 | 0.802 | 2.520 | | | 24 | |
| 20.47 | 64.31 | 0.806 | 2.532 | 11 | | | |
| 20.49 | 64.38 | 0.807 | 2.535 | | | | 23.5 |
| 20.53 | 64.50 | 0.808 | 2.539 | | | 24.5 | |
| 20.66 | 64.90 | 0.813 | 2.555 | | | | 24 |
| 20.69 | 65.00 | 0.815 | 2.559 | | | 25 | |
| 20.73 | 65.11 | 0.816 | 2.564 | | W | | |
| 20.83 | 65.43 | 0.820 | 2.576 | | | | 24.5 |
| 20.85 | 65.50 | 0.821 | 2.579 | | | 25.5 | |
| 20.88 | 65.59 | 0.822 | 2.582 | 11.5 | | | |
| 20.99 | 65.95 | 0.826 | 2.596 | | | | 25 |



RING SIZE CONVERSION

**For Internal Diameter in mm
(Conversion from Ring Size)**

U.S.A. : (Size - 1) X 0.8128 + 12.344

Japan : (Size - 1) X 0.3937 + 12.065

New EUR : Size / 3.1416

***U.K. :** (Size - 1) X .333 + 12.065

* H = 8, I = 9, J = 10, K = 11 etc.

Circumference = Diameter X 3.1416

Diameter = Circumference / 3.1416

Measure your Ring Size:

- 1) At the end of a warm day when your fingers are at their largest, wrap a piece of string or paper around a finger and mark where the two ends meet.
- 2) Measure the string or paper to obtain the circumference of your finger.
- 3) Divide the circumference by 3.1416 to obtain your diameter.
- 4) Look up your ring size using the table provided.

Note: The width of a ring is important -
a wide ring may require a larger size.

Note:

Some european sizes were based on the internal ring circumference in mm before the International standard

ISO 8653 was introduced in 1986.

Swiss and German sizes were different again

While a great deal of effort has been made to accurately measure the differences of the sizing systems, because of the differences in rounding inches and millimeters and because there is a great deal of inconsistency in the available reference materials these tables cannot be said to be 100% accurate.



Standard Chain Necklace Lengths

Women

| Inches | Description |
|---------------|--------------------|
| 16 | Choker |
| 17-18 | On Collarbone |
| 20 | Below Collarbone |
| 22 | Neckline |
| 24 | Below Neckline |
| 30 | Above Sternum |
| 36 | Bustline |

Men

| Inches | Description |
|---------------|--------------------|
| 18 | Neck Base |
| 20 | Collarbone |
| 22 | Below Collarbone |
| 24 | Above Sternum |

